

IGUS – Contact Us For Great Pricing

THRUST WASHERS

| Part No. | d1 (+0.25) [mm] | d2 (- 0.25) [mm] | d4 (-0.12 +0.12) [mm] | d5 (+0.375 +0.125) [mm] | h (+0.2/- 0.2) [mm] | d6 (+0.12) [mm] | Øs (- 0.05) [mm] |
|--------------|-----------------------|------------------------|-------------------------------------|-------------------------------------|---------------------------|-----------------------|------------------------|
| GTM-0408-005 | 4 | 8 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 8 | 0.5 |
| GTM-0409-006 | 4 | 9 | Design Without Fixing Hole | Design Without Fixing Hole | 0.3 | 9 | 0.6 |
| GTM-0409-016 | 4 | 9 | Design Without Fixing Hole | Design Without Fixing Hole | 0.3 | 9 | 1.6 |
| GTM-0410-005 | 4 | 10 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 10 | 0.5 |
| GTM-0411-005 | 4 | 11 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 11 | 0.5 |
| GTM-0509-006 | 5 | 9.5 | Design Without Fixing Hole | Design Without Fixing Hole | 0.3 | 9.5 | 0.6 |
| GTM-0612-015 | 6 | 12 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 12 | 1.5 |
| GTM-0615-015 | 6 | 15 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 15 | 1.5 |
| GTM-0620-015 | 6 | 20 | 13 | 1.5 | 1 | 20 | 1.5 |
| GTM-0611-010 | 6.2 | 11 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 11 | 1 |
| GTM-0712-005 | 7 | 12 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 12 | 0.5 |

IGUS – Contact Us For Great Pricing

THRUST WASHERS

| | | | | | | | |
|--------------|----|------|----------------------------|----------------------------|-----|------|-----|
| GTM-0713-005 | 7 | 13 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 13 | 0.5 |
| GTM-0815-005 | 8 | 15 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 15 | 0.5 |
| GTM-0815-015 | 8 | 15 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 15 | 1.5 |
| GTM-0818-010 | 8 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 18 | 1 |
| GTM-0818-015 | 8 | 18 | 13 | 1.5 | 1 | 18 | 1.5 |
| GTM-0818-020 | 8 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 18 | 2 |
| GTM-0913-010 | 9 | 13 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 13 | 1 |
| GTM-0918-015 | 9 | 18 | 13.5 | 1.5 | 1 | 18 | 1.5 |
| GTM-1018-005 | 10 | 17.8 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 17.8 | 0.5 |
| GTM-1018-010 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 18 | 1 |
| GTM-1018-015 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 18 | 1.5 |
| GTM-1018-020 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 18 | 2 |
| GTM-1020-015 | 10 | 20 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 20 | 1.5 |

IGUS – Contact Us For Great Pricing

THRUST WASHERS

| | | | | | | | |
|---------------|----|----|----------------------------|----------------------------|-----|----|------|
| GTM-1115-010 | 11 | 15 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 15 | 1 |
| GTM-1127-005 | 11 | 27 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 27 | 0.5 |
| GTM-1224-015 | 12 | 24 | 18 | 1.5 | 1 | 24 | 1.5 |
| GTM-1230-015 | 12 | 30 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 30 | 1.5 |
| GTM-1420-015 | 14 | 20 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 20 | 1.5 |
| GTM-1426-015 | 14 | 26 | 20 | 2 | 1 | 26 | 1.5 |
| GTM-1519-008 | 15 | 19 | Design Without Fixing Hole | Design Without Fixing Hole | 0.5 | 19 | 0.8 |
| GTM-1522-008 | 15 | 22 | Design Without Fixing Hole | Design Without Fixing Hole | 0.5 | 22 | 0.8 |
| GTM-1524-015 | 15 | 24 | 19.5 | 1.5 | 1 | 24 | 1.5 |
| GTM-1524-0275 | 15 | 24 | Design Without Fixing Hole | Design Without Fixing Hole | 2 | 24 | 2.75 |
| GTM-1628-010 | 16 | 28 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 28 | 1 |
| GTM-1630-015 | 16 | 30 | 22 | 2 | 1 | 30 | 1.5 |
| GTM-1832-015 | 18 | 32 | 25 | 2 | 1 | 32 | 1.5 |
| GTM-2036-015 | 20 | 36 | 28 | 3 | 1 | 36 | 1.5 |
| GTM-2230-015 | 22 | 30 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 30 | 1.5 |
| GTM-2238-015 | 22 | 38 | 30 | 3 | 1 | 38 | 1.5 |
| GTM-2442-015 | 24 | 42 | 33 | 3 | 1 | 42 | 1.5 |
| GTM-2644-015 | 26 | 44 | 35 | 3 | 1 | 44 | 1.5 |
| GTM-2848-015 | 28 | 48 | 38 | 4 | 1 | 48 | 1.5 |

IGUS – Contact Us For Great Pricing

| | | | | | | | |
|---------------|------|------|----------------------------|----------------------------|----------------------------|------|-----|
| GTM-2835-005 | 28.5 | 35.8 | Design Without Fixing Hole | Design Without Fixing Hole | 0.2 | 35.8 | 0.5 |
| GTM-3246-010 | 32 | 45.8 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 45.8 | 1 |
| GTM-3254-015 | 32 | 54 | 43 | 4 | 1 | 54 | 1.5 |
| GTM-3862-015 | 38 | 62 | 50 | 4 | 1 | 62 | 1.5 |
| GTM-4060-035 | 40 | 60 | Design Without Fixing Hole | Design Without Fixing Hole | Design Without Fixing Hole | 60 | 3.5 |
| GTM-4266-015 | 42 | 66 | 54 | 4 | 1 | 66 | 1.5 |
| GTM-4860-020 | 48 | 60 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 74 | 2 |
| GTM-4874-020 | 48 | 74 | 61 | 4 | 1.5 | 74 | 2 |
| GTM-5278-020 | 52 | 78 | 65 | 4 | 1.5 | 78 | 2 |
| GTM-52569-020 | 52.5 | 69 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 69 | 2 |
| GTM-6278-020 | 62 | 78 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 78 | 2 |
| GTM-6290-010 | 62 | 90 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 90 | 1 |
| GTM-6290-020 | 62 | 90 | 76 | 4 | 1.5 | 90 | 2 |
| GTM-6881-020 | 68 | 81 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 81 | 2 |
| GTM-78114-015 | 78 | 114 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 114 | 1.5 |
| GTM-80114-015 | 80.5 | 114 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 114 | 1.5 |

THRUST WASHERS

IGUS – Contact Us For Great Pricing

| | | | | | | | |
|----------------|-----|-----|----------------------------|----------------------------|-----|-----|-----|
| JTM-1224-015 | 12 | 24 | 18 | 1.5 | 1 | 24 | 1.5 |
| JTM-1234-015 | 12 | 34 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 34 | 1.5 |
| JTM-1420-015 | 14 | 20 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 20 | 1.5 |
| JTM-2036-015 | 20 | 36 | 28 | 3 | 1 | 36 | 1.5 |
| JTM-2842-020 | 28 | 42 | 35 | 3 | 1 | 42 | 2 |
| JTM-3039-015 | 30 | 39 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 39 | 1.5 |
| JTM-5670-010 | 56 | 70 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 70 | 1 |
| JTM-139188-020 | 139 | 188 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 188 | 2 |
| WTM-0509-006 | 5 | 9.5 | Design Without Fixing Hole | Design Without Fixing Hole | 0.3 | 9.5 | 0.6 |
| WTM-0620-015 | 6 | 20 | 13 | 1.5 | 1 | 20 | 1.5 |
| WTM-0818-015 | 8 | 18 | 13 | 1.5 | 1 | 18 | 1.5 |
| WTM-1018-010 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 18 | 1 |
| WTM-1018-015 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 18 | 1.5 |
| WTM-1224-015 | 12 | 24 | 18 | 1.5 | 1 | 24 | 1.5 |
| WTM-1426-015 | 14 | 26 | 20 | 2 | 1 | 26 | 1.5 |
| WTM-1524-015 | 15 | 24 | 19.5 | 1.5 | 1 | 24 | 1.5 |

IGUS – Contact Us For Great Pricing

THRUST WASHERS

| | | | | | | | |
|----------------|-----|-----|----------------------------|----------------------------|-----|-----|-----|
| WTM-1630-015 | 16 | 30 | 23 | 2 | 1 | 30 | 1.5 |
| WTM-1832-015 | 18 | 32 | 25 | 2 | 1 | 32 | 1.5 |
| WTM-1844-015 | 18 | 44 | 30 | 7 | 1 | 44 | 1.5 |
| WTM-2036-015 | 20 | 36 | 28 | 3 | 1 | 36 | 1.5 |
| WTM-2238-015 | 22 | 38 | 30 | 3 | 1 | 38 | 1.5 |
| WTM-2442-015 | 24 | 42 | 33 | 3 | 1 | 42 | 1.5 |
| WTM-2644-015 | 26 | 44 | 35 | 3 | 1 | 44 | 1.5 |
| WTM-2840-015 | 28 | 40 | 38 | 4 | 1 | 48 | 1.5 |
| WTM-2848-015 | 28 | 48 | 38 | 4 | 1 | 48 | 1.5 |
| WTM-3254-015 | 32 | 54 | 43 | 4 | 1 | 54 | 1.5 |
| WTM-3862-015 | 38 | 62 | 50 | 4 | 1 | 62 | 1.5 |
| WTM-4266-015 | 42 | 66 | 54 | 4 | 1 | 66 | 1.5 |
| WTM-4874-020 | 48 | 74 | 61 | 4 | 1.5 | 74 | 2 |
| WTM-5278-020 | 52 | 78 | 65 | 4 | 1.5 | 78 | 2 |
| WTM-6290-020 | 62 | 90 | 76 | 4 | 1.5 | 90 | 2 |
| WTM-82110-020 | 82 | 110 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 110 | 2 |
| WTM-102130-020 | 102 | 130 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 130 | 2 |
| WTM-120150-020 | 120 | 150 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 150 | 2 |
| XTM-0620-015 | 6 | 20 | 13 | 1.5 | 1 | 20 | 1.5 |
| XTM-0818-015 | 8 | 18 | 13 | 1.5 | 1 | 18 | 1.5 |

IGUS – Contact Us For Great Pricing

THRUST WASHERS

| | | | | | | | |
|--------------|----|----|----------------------------|----------------------------|-----|----|-----|
| XTM-0829-015 | 8 | 29 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 29 | 1.5 |
| XTM-0830-015 | 8 | 30 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 30 | 1.5 |
| XTM-1018-010 | 10 | 18 | Design Without Fixing Hole | Design Without Fixing Hole | 0.7 | 18 | 1 |
| XTM-1224-015 | 12 | 24 | 18 | 1.5 | 1 | 24 | 1.5 |
| XTM-1426-015 | 14 | 26 | 20 | 2 | 1 | 26 | 1.5 |
| XTM-1522-008 | 15 | 22 | Design Without Fixing Hole | Design Without Fixing Hole | 0.5 | 22 | 0.8 |
| XTM-1524-015 | 15 | 24 | 19.5 | 1.5 | 1 | 24 | 1.5 |
| XTM-1630-015 | 16 | 30 | 22 | 2 | 1 | 30 | 1.5 |
| XTM-1832-015 | 18 | 32 | 25 | 2 | 1 | 32 | 1.5 |
| XTM-2036-015 | 20 | 36 | 28 | 3 | 1 | 36 | 1.5 |
| XTM-2238-015 | 22 | 38 | 30 | 3 | 1 | 38 | 1.5 |
| XTM-2442-015 | 24 | 42 | 33 | 3 | 1 | 42 | 1.5 |
| XTM-2644-015 | 26 | 44 | 35 | 3 | 1 | 44 | 1.5 |
| XTM-2848-015 | 28 | 48 | 38 | 4 | 1 | 48 | 1.5 |
| XTM-3254-015 | 32 | 54 | 43 | 4 | 1 | 54 | 1.5 |
| XTM-3862-015 | 38 | 62 | 50 | 4 | 1 | 62 | 1.5 |
| XTM-4266-015 | 42 | 66 | 54 | 4 | 1 | 66 | 1.5 |
| XTM-4874-020 | 48 | 74 | 61 | 4 | 1.5 | 74 | 2 |
| XTM-5278-020 | 52 | 78 | 65 | 4 | 1.5 | 78 | 2 |
| XTM-6290-020 | 62 | 90 | 76 | 4 | 1.5 | 90 | 2 |
| ZTM-1430-015 | 14 | 30 | 25 | 2 | 1 | 30 | 1.5 |
| ZTM-1527-015 | 15 | 27 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 27 | 1.5 |
| ZTM-1535-015 | 15 | 35 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 35 | 1.5 |
| ZTM-1540-015 | 15 | 40 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 35 | 1.5 |

IGUS – Contact Us For Great Pricing

| | | | | | | | |
|--------------|----|----|----------------------------|----------------------------|-----|----|-----|
| ZTM-1623-015 | 16 | 23 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 23 | 1.5 |
| ZTM-2036-015 | 20 | 36 | 28 | 3 | 1 | 36 | 1.5 |
| ZTM-2238-015 | 22 | 38 | 30 | 3 | 1 | 38 | 1.5 |
| ZTM-2250-005 | 22 | 50 | 30 | 3 | 1 | 38 | 0.5 |
| ZTM-2250-015 | 22 | 50 | 30 | 3 | 1 | 38 | 1.5 |
| ZTM-2838-015 | 28 | 38 | Design Without Fixing Hole | Design Without Fixing Hole | 1 | 38 | 1.5 |
| ZTM-3254-015 | 32 | 54 | 43 | 4 | 1 | 54 | 1.5 |
| ZTM-6290-020 | 62 | 90 | Design Without Fixing Hole | Design Without Fixing Hole | 1.5 | 90 | 2 |
| QTM-2842-015 | 28 | 42 | 35 | 4 | 1 | 42 | 1.5 |
| QTM-3254-015 | 32 | 54 | Design Without Fixing Hole | 4 | 1 | 54 | 1.5 |

THRUST WASHERS